JANKY REGULAR / VERSION 1.000

Parts inventory

ABCDEFGHIJKLM
NOPQRSTUVWXYZ

abcdefghijklm
nopqrstuvwxyz

0123456789

! " # $ % & ' ( ) * + , - . / : ;
< = > ? @ [\ ] ^ _ ` { | } ~ « °
± » × ÷ – — ‘ ’ “ ” • … ← ↑ → ↓

114 encoded characters + 62 brownout alternates.
All cells 680 units. ss01: alternate fault state.
Includes space and NBSP. Basic Latin; no accents.
OTF / TTF / WOFF2. Complete inventory: specimen.html

UTYPEIA

© 2026 Utypeia and Dré Labre / utypeia.com

ORIGINAL TYPE / GENERATED TECHNICAL ILLUSTRATIONS

Still talking.

FICTIONAL SHIP: KESTREL / DECK 03

TIME	BUS	TEMP
19:01	+20.4	32°C
19:02	+27.1	34°C
19:03	+24.0	37°C
19:04	+19.2	41°C
19:05	+12.0	48°C
19:06	+08.1	53°C
19:07	+03.6	61°C

A bad reading can still hold its column.

Every glyph occupies the same 680-unit cell.

Letters, figures, punctuation and spaces stay aligned.

We are still here.

Do you read us?

. . . .

A FICTIONAL TRANSMISSION / NO RESPONSE RECEIVED

No spare parts.



Tap gently.

Janky is a fictional instrument alphabet.
Its forms are newly drawn, with separate lowercase proportions and a slashed zero. The segmented display reference becomes a full writing system.

SAVED REFERENCE: HALL, APOLLO GUIDANCE COMPUTER, 1972.

Trust which instrument?

FAULT REPORT / TWO READINGS, ONE SYSTEM



BUS VOLTAGE

CABIN TEMPERATURE

Chamfered corners. Interrupted rails.
Small registration slips in the strokes.
The failure is drawn into the type.

03 / RESIDUAL SIGNAL

REGULAR / ss01 OFF



The default face already has small interruptions.
The instrument grid remains steady.
Compare the same readings on the facing page.

04 / BROWNOUT

ALTERNATE DRAWINGS / ss01 ON

62 replacement letter and figure drawings.
Wider dead bands. Stronger displacement.
Same text. Same size. Same advance.